

SEALCON HENSEL ENYCASE DK 0400 G

With or without terminals



DK 0400 G






- without terminals
- with elastic membranes, which can be removed for cable entry via cable glands, sealing range 9.0-17.0 mm
- with one cable entry in the bottom, sealing range Ø 6.0-15.0 mm
- lid fasteners sealable without accessories
- · retaining strap and external brackets for wall fixing included
- colour: grey, RAL 7035
- To close opened membranes use grommets type EDK. Degree of protection = IP 66.

| rated insulation voltage | U _i = 1000 V a.c./d.c. |
|--------------------------|-----------------------------------|
| material | PP (polypropylene) |
| degree of protection | IP 66 |
| mounting width | 83 mm |
| mounting height | 83 mm |
| max. installation depth | 55 mm |
| width | 104 mm |
| height | 104 mm |
| depth | 70 mm |
| weight | 0,122 kg |
| in accordance with | IEC 60670-22 |

Drawings







SEALCON HENSEL ENYCASE DK 0400 G

With or without terminals




DK 0400 G





Detail mass



2x Ø9-17 mm 2xM20/25

Box walls

2x Ø9-17 mm 2x Ø9-17 mm 2xM20/25 2xM20/25

L_{1x} Ø9-17 mm-1xM20/25

Operating and ambient conditions

| Application area | Suitable for indoor installation and outdoor installation, protected against weather influences |
|---|--|
| Ambient temperature | Maximum value + 40 °C Minimum value - 25 °C |
| Fire protection in the event of internal faults | Demands placed on electrical devices from standards and laws Minimum requirements - Glow wire test in accordance with IEC 60695-2-11: - 650°C for boxes and cable glands - 850°C for parts of insulating material necessary to retain current carrying parts in position |
| Burning behaviour | Glow wire test IEC 60695-2-11: 750 °C UL Subject 94: V-2 flame-retardant self-extinguishing |



HENSEL ENYCASE DK 0400 G

| Degree of protection against mechanical load | IK07 (2 Joule) |
|--|--|
| Toxic behaviour | halogen-free silicone-free "halogen-free" in accordance with the examination of the cables and insulated wires - corrosiveness of fumes - as per IEC 60754-2 |
| Note: | For material properties see technical data. |