E<u>Sealcon</u>

HENSEL ENYCASE RK 0612 T

with terminal blocks

RK 0612 T


- 0.14-6 mm², Cu

I	P
	66

- 12 terminal blocks WT 4
- •
- terminal blocks, by Wieland
- jumper bars for terminal blocks: make Wieland IVB WKF 4
- terminal marking, neutral
- with elastic membranes, which can be removed for cable entry via cable glands, sealing range 9.0-21.0 mm
- with one cable entry in the bottom, sealing range Ø 9.0-20.0 mm
- · lid fasteners sealable without accessories
- · retaining strap and external brackets for wall fixing included
- colour: grey, RAL 7035
- To close opened membranes use grommets type EDK. Degree of protection = IP 66.

rated insulation voltage	$U_i = 690 V a.c./d.c.$
rated current:	41 A
material	PP (polypropylene)
degree of protection	IP 66
width	130 mm
height	130 mm
depth	77 mm
weight	0,328 kg
tightening torque for terminal	0.5 Nm

Drawings



Dimension drawing




SEALCON HENSEL ENYCASE RK 0612 T

with terminal blocks




- RK 0612 T
 - 0.14-6 mm², Cu





Detail mass



Operating and ambient conditions

Application area

Box walls

Ambient temperature

Relative humidity

Suitable for indoor installation and outdoor installation, protected against weather influences

Average value over 24 hours + 35 °C Maximum value + 40 °C Minimum value - 25 °C

50% at 40° C short-time 100% at 25° C

SEALCON E HENSEL ENYCASE RK 0612 T

Fire protection in the event of internal faults	Demands placed on electrical devices from standards and laws Minimum requirements - Glow wire test in accordance with IEC 60695-2-11: - 650°C for boxes and cable glands - 850°C for parts of insulating material necessary to retain current carrying parts in position
Burning behaviour	Glow wire test IEC 60695-2-11: 750 °C UL Subject 94: V-2 flame-retardant self-extinguishing
Degree of protection against mechanical load	IK07 (2 Joule)
Toxic behaviour	halogen-free silicone-free "halogen-free" in accordance with the examination of the cables and insulated wires - corrosiveness of fumes - as per IEC 60754-2
Note:	For material properties see technical data.