Conformity									
Polycarbonate Enclosures:	ROHS (1) (1) MADEIN THEUSA								
Technical information									
Instrumented Dart Impact @ 73° F	F Inch / Pound 565								
Falling Ball Impact @ 73° F	Ball Impact @ 73° F UL-746 Inch / Pound 900								
Deflection Temperature @ 264 psi	ection Temperature @ 264 psi								
Modulus of Elasticity	ılus of Elasticity rn ASTM D790 ksi 340								
Temperature Range	Degrees F -40 to 265								
Flame Rating - UL	Rating - UL UL 94 - 5VA								
Outdoor UV Exposure	oor UV Exposure UL - f1								
UL/C-UL-50 listed	_/C-UL-50 listed (files # E229365, # E207562)								
Material									
Base:	Polycarbonate Enclosure								
Cover:	Polycarbonate Hinged Cover								
Cover Screws:	ver Screws: Fiberglass Reinforced Polyamide								
Enclosure side types									
Polycarbonate enclosures:									
Standard color									
Base:	Light Gray in Color With High Gloss Finish								
Cover:	ver: Opaque or Clear								

Comes with feet or flanges. This size also available with low profile hinge. Expansion box not shown.









### POLYCARBONATE ENCLOSURE

#### SIZE 10 X 8 X 4 INCH

#### 10 x 8 x 4 Inch Enclosure in Brief:

- Made in the USA
- Standard color light gray with a gloss finish.
- Best material bases, opaque covers and clear covers are all made of high-impact, UV resistant polycarbonate.
- Easy ordering one part number includes base, lid, mounting feet or flanges and all lid fastening hardware (mounting panels sold separately).
- Flexible interior mounting features the unique and adjustable depth "T-Rail" back panelmounting system (back panel and adjustable brackets sold separately).
- · Features multiple bosses for easy installation of devices and DIN rails.
- UL-50 / c-UL Listed (files # E229365, # E207562)

Sealcon's enclosures are the most durable, non-metallic NEMA UL rated enclosures available. From the extremely versatile mounting options inside the enclosure to having the most off-the shelf accessories, "Made In the USA"

#### SH10084HLL










SH10084HCNL

#### Sealcon 10 x 8 x 4 INCH Enclosure

S10084 P/N	4X IP66	6P IP68	Hinged Cover	Screw Cover	Opaque Cover	Clear Cover	Mounting Feet	Mounting Flange	Stainless Steel Locking Latch	Non-Metallic Locking Latch
SH10084S	~	~		~	~		~			
SH10084SC	~	~		~		~	~			
SH10084SF	~	~		~	~			~		
SH10084SCF	~	~		~		~		~		
SH10084H	~		~	~	~		~			
SH10084HC	~		~	~		~	~			
SH10084HF	~		~	~	~			~		
SH10084HCF	~		~	~		~		~		
SH10084HLL	~		~		~		~		~	
SH10084HCLL	~		~			~	~		~	
SH10084HFLL	~		~		~			~	~	
SH10084HCFLL	~		~			~		~	~	
SH10084HNL	~		~		~		~			~
SH10084HCNL	~		~			~	~			~
SH10084HFNL	~		~		~			~		~
SH10084HCFNL	~		~			~		~		~
SH10084H-6P	~	~	~	~	~		~			
SH10084HC-6P	~	~	~	~		~	~			
SH10084HF-6P	~	~	~	~	~			~		
SH10084HCF-6P	_	~	~	~		~		~		

TORQUE SPECIFICATIONS - Mounting Brackets - 1/4"-20 x 0.25 SS, countersunk Phillips drive screws (torque limit = 20 in-lbs.) | Covers / Doors - Torque for corner screws is 10 in-lbs.






## **Top-Notch Customer Service**

www.SealconUSA.com 303-699-1135 800-456-9012

## **Customized Solutions**

With our extensive supply of cable management products, we can craft a solution tailored to your specific requirements. Place your customized order with us today!



#### Accessories for 10x8x4 Inch

Comes with feet or flanges



#### **Back Panels**

SABP108 -Aluminum panel SSBP108 -Steel panel SPVCBP108 -





**Air Vents** 

**SVENT-3** - Aluminum louvered **SVENT-2** - Outdoor labyrinth



## panels only **SUSOPK** - Hardware only

Aluminum

panel kit

Swing Out Panels SABP-108USP/

USOPK-Complete

SABP-108USP -

Aluminum swing out

Steel Swing
Out Panels
SSBP-108USP/USOPK Complete panel kit

**SSBP-108USP -** Steel swing out panels only **SSOPK -** Hardware only



#### **Back Panel Adjustment Kit**

SBPAKG - Gray, Set Screw SBPAKB - Black, Set Screw SUBPAKG - Gray, Thumb Screw SUBPAKB - Black Thumb Screw



Din Rail

SDIN8 - 2 rails, 4 screws



#### **Pole Mounting Kits**

**SPMKG-38** - 2" pole **SPMKG-38** - 3" pole **SPMKG-48** - 4" pole **SMKG-128** - 12" pole



# Mounting Feet & Flange Kits

SMFKG - Premium line feet SMFKSS - Stainless steel feet SMFLK8 - 8" Flange kit



