Conformity										
Polycarbonate Enclosures:	🤃 RÕHS 🖲 🕲 🏬 MADE IN									
Technical information										
Instrumented Dart Impact @ 73° F	Inch / Pound 565									
Falling Ball Impact @ 73° F	UL-746 Inch / Pound 900									
Deflection Temperature @ 264 psi	ASTM D648 Degrees F 270									
Modulus of Elasticity	rn ASTM D790 ksi 340									
Temperature Range	Degrees F -40 to 265									
Flame Rating - UL	UL 94 - 5VA									
Outdoor UV Exposure	UL - f1									
UL/C-UL-50 listed	(files # E229365, # E207562)									
Material										
Base:	Polycarbonate Enclosure									
Cover:	Polycarbonate Hinged Cover									
Cover Screws:	Fiberglass Reinforced Polyamide									
Enclosure side types										
Polycarbonate enclosures:										
Standard color										
Base:	Light Gray in Color With High Gloss Finish									
Cover:	Opaque or Clear									

Comes with feet or flanges. This size also available with low profile hinge. Expansion box not shown.

#### 

## Sealcon 16 x 14 x 7 INCH Enclosure

S161407 P/N	4X IP66	6P IP68	Hinged Cover	Screw Cover	Opaque Cover	Clear Cover	Mounting Feet	Mounting Flange	Stainless Steel Locking Latch	Non-Metallic Locking Latch
SH161407S	~	~		~	~		~			
SH161407SC	~	~		~		~	~			
SH161407SF	~	~		~	~			~		
SH161407SCF	~	~		~		>		~		
SH161407H	~		~	~	~		~			
SH161407HC	~		~	~		~	~			
SH161407HF	~		~	~	~			~		
SH161407HCF	~		~	~		>		~		
SH161407HLL	~		~		~		~		~	
SH161407HCLL	~		~			>	~		~	
SH161407HFLL	~		~		~			~	<b>~</b>	
SH161407HCFLL	~		~			~		~	~	
SH161407HNL	~		~		~		~			~
SH161407HCNL	~		~			>	~			~
SH161407HFNL	~		~		~			~		~
SH161407HCFNL	~		~			~		~		~
SH161407H-6P	~	~	~	~	~		~			
SH161407HC-6P	~	~	~	~		~	~			
SH161407HF-6P	~	~	~	~	~			~		
SH161407HCF-6P	~	~	~	~		>		~		

TORQUE SPECIFICATIONS - Mounting Brackets - 1/4"-20 x 0.25 SS, countersunk Phillips drive screws (torque limit = 20 in-lbs.) | Covers / Doors - Torque for corner screws is 10 in-lbs.

# **POLYCARBONATE ENCLOSURE**

# SIZE 16 X 14 X 7 INCH

# 16 x 14 x 7 Inch Enclosure in Brief:

- Made in the USA
- Standard color light gray with a gloss finish.
- Best material bases, opaque covers and clear covers are all made of high-impact, UV resistant polycarbonate.
- Easy ordering one part number includes base, lid, mounting feet or flanges and all lid fastening hardware (mounting panels sold separately).
- Flexible interior mounting features the unique and patented Integra adjustable depth "T-Rail" back panel mounting system (back panel and adjustable brackets sold separately).
- Features multiple bosses for easy installation of devices and DIN rails.
- UL-50 / c-UL Listed (files # E229365, # E207562)

Sealcon's enclosures are the most durable, non-metallic NEMA UL rated enclosures available. From the extremely versatile mounting options inside the enclosure to having the most off-the shelf accessories, "Made In the USA"







SH161407HCNL

www.SealconUSA.com | (303) 699-1135 | (800) 456-9012 Dimensions & Specifications may be changed without prior notice









# **Customized Solutions**

With our extensive supply of cable management products, we can craft a solution tailored to your specific requirements. Place your customized order with us today!

## Accessories for 16x14x7 Inch

Comes with feet or flanges



#### **Back Panels** SABP1412 -Aluminum panel

SSBP1412 -Steel panel SPVCBP1412 -PVC panel



**Air Vents** SVENT-3 -3" Aluminum louvered SVENT-2 -Outdoor labyrinth SFS-KIT-1 -1 piece kit SFS-KIT-2 -

2 piece kit



## Aluminum **Swing Out Panels** SABP-1412USP/

USOPK-Complete panel kit SABP-1412USP -Aluminum swing out panels only SUSOPK -Hardware only



### Steel Swing Out Panels SSBP-1412USP/USOPK -

Complete panel kit SSBP-1412USP - Steel swing out panels only SUSOPK - Hardware only

# **Back Panel Adjustment Kit**

SBPAKG - Gray, Set Screw SBPAKB - Black, Set Screw SUBPAKG - Gray, Thumb Screw SUBPAKB - Black Thumb Screw



**Mounting Feet** & Flange Kits SMFKG - Premium line feet SMFKSS - Stainless steel feet SMFLK12 - 12" Flange kit

Din Rail SDIN12 - 2 rails, 4 screws




**Pole Mounting Kits** SPMKG-210 - 2" pole SPMKG-310 - 3" pole

SPMKG-410 - 4" pole SMKG-1210 - 12" pole






www.SealconUSA.com | (303) 699-1135 | (800) 456-9012 Dimensions & Specifications may be changed without prior notice



# Large Inventory

With our readily accessible inventory, you can rest assured that your order will ship quickly and without delay--minimizing any downtime. Experience the Sealcon difference!



www.SealconUSA.com | (303) 699-1135 | (800) 456-9012 Dimensions & Specifications may be changed without prior notice

