






POLYCARBONATE ENCLOSURE

SIZE 6 X 6 X 3 INCH

6 x 6 x 3 Inch Enclosure in Brief:

- Standard Color – light gray with a high gloss finish
- Best material – bases, opaque covers and clear covers are all made of high-impact, UV resistant polycarbonate
- Easy ordering – One part number equals one completely assembled enclosure
- Super easy use – mounting flanges integral, so no extra hardware needed
- Flexible Interior Mounting – bosses on rear wall and lid of opaque enclosure provide multiple mounting options for din rail, back panels, or other components
- Advanced face plate mounting system – Brand new completely unique and easy
- Secure – Choose your level of protection: pad lockable, tamper screw or tamper tag capable
- Frequency Friendly – Available with absolutely no metals of any kind on the enclosure which is extremely favorable for sending and receiving wireless signals
- UL-50 / c-UL Listed (file # E207562)

Sealcon's enclosures are the most versatile, feature packed, aesthetically pleasing, NEMA UL rated, non-metallic enclosures available. Features like extremely durable, UV resistant, wide temperature range, easy to machine, lighter than other non-metallic or metal materials, the "Made in USA" enclosures provide great value to any application.


Conformity	
Polycarbonate Enclosures:	    
Technical information	
Instrumented Dart Impact @ 73° F	Inch / Pound 565
Falling Ball Impact @ 73° F	UL-746 Inch / Pound 900
Deflection Temperature @ 264 psi	ASTM D648 Degrees F 270
Modulus of Elasticity	rn ASTM D790 ksi 340
Temperature Range	Degrees F -40 to 265
Flame Rating - UL	UL 94 - 5VA
Outdoor UV Exposure	UL - f1
UL/C-UL-50 listed	(files # E207562)
Material	
Base:	Polycarbonate Enclosure
Cover:	Polycarbonate Hinged Cover
Cover Screws:	Fiberglass Reinforced Polyamide
Enclosure side types	
Polycarbonate enclosures:	
Standard color	
Base:	Light Gray in Color With High Gloss Finish
Cover:	Opaque or Clear



Sealcon 6 x 6 x 3 INCH Enclosure

S6063 P/N	4X IP66	6P IP68	Clear Cover	Opaque Cover	Integrated Mounting Flange	Standard Hinge	Low Profile Hinge	Integrated Locking Latch	Stainless Steel Locking Latch	Non-Metallic Locking Latch	Face Plate Mtg System*
SP6063	✓	✓		✓	✓	✓		✓			✓
SP6063C	✓	✓	✓		✓	✓		✓			✓
SP6063LL	✓			✓	✓	✓			✓		✓
SP6063CLL	✓		✓		✓	✓			✓		✓
SP6063LP	✓	✓		✓	✓		✓	✓			✓
SP6063LPC	✓	✓	✓		✓		✓	✓			✓
SP6063LPLL	✓			✓	✓		✓		✓		✓
SP6063LPCLL	✓		✓		✓		✓		✓		✓
SP6063NL	✓			✓	✓	✓				✓	✓
SP6063CNL	✓		✓		✓	✓				✓	✓
SP6063LPNL	✓			✓	✓		✓			✓	✓
SP6063LPCNL	✓		✓		✓		✓			✓	✓







Top-Notch Customer Service

www.SealconUSA.com

303-699-1135

800-456-9012



Customized Solutions

With our extensive supply of cable management products, we can craft a solution tailored to your specific requirements. Place your customized order with us today!

Accessories for 6x6x3 Inch

Back Panels

SABP66-IMP -

Aluminum panel

SSBP66-IMP -

Steel panel

SPVCBP66-IMP -

PVC panel



Air Vents

SVENT-3 -

Aluminum louvered

SVENT-2 -

Outdoor labyrinth



Din Rail

SDIN6-IMP -

2 rails, 4 screws



Aluminum

Swing Out System

SASWPK66-IMP Aluminum

swing panel and

SSOPK-IMP mounting kit

SASWP66-IMP -

Aluminum swing panel only

SSOPK66/86-IMP -

2 rigid brackets, 1 pivot bracket & 8 self-tapping screws



Steel Swing Out System

SSSWPK66-IMP -

Steel swing panel and

SOPK-IMP mounting kit

SSSWP66-IMP -

Steel swing panel only

SSOPK66/86-IMP -

2 rigid brackets, 1 pivot bracket & 8 self-tapping screws



Pole Mounting Kits

SPMKG-26 -

2" pole

SPMKG-36 -

3" pole

SPMKG-46 -

4" pole

SMKG-126 -

12" pole



Aluminum Face Plate System

SAFPK66-IMP -

Aluminum face plate and SSOPK-IMP mounting kit

SAFP66-IMP -

Aluminum face plate only

SSOPK66/86-IMP -

2 rigid brackets, 1 pivot bracket & 8 self-tapping screws



Steel Face Plate System

SSFPK66-IMP -


Steel face plate and SSOPK-IMP mounting kit

SSFP66-IMP -

Steel face plate only

SSOPK66/86-IMP -

2 rigid brackets, 1 pivot bracket & 8 self-tapping screws




Top-Notch Customer Service

www.SealconUSA.com

303-699-1135

800-456-9012



Large Inventory

With our readily accessible inventory, you can rest assured that your order will ship quickly and without delay—minimizing any downtime. Experience the Sealcon difference!