Conformity									
Polycarbonate Enclosures:	🤆 RÕHS 🖲 🗐 🛄 MADEIN								
Technical information									
Instrumented Dart Impact @ 73° F	Inch / Pound 565								
Falling Ball Impact @ 73° F	UL-746 Inch / Pound 900								
Deflection Temperature @ 264 psi	ASTM D648 Degrees F 270								
Modulus of Elasticity	rn ASTM D790 ksi 340								
Temperature Range	Degrees F -40 to 265								
Flame Rating - UL	UL 94 - 5VA								
Outdoor UV Exposure	UL - f1								
UL/C-UL-50 listed	(files # E207562)								
Material									
Base:	Polycarbonate Enclosure								
Cover:	Polycarbonate Hinged Cover								
Cover Screws:	er Screws: Fiberglass Reinforced Polyamide								
Enclosure side types									
Polycarbonate enclosures:									
Standard color									
Base:	Light Gray in Color With High Gloss Finish								
Cover:	Opaque or Clear								

POLYCARBONATE ENCLOSURE

SIZE 8 X 6 X 3 INCH

8 x 6 x 3 Inch Enclosure in Brief:

- Standard Color light gray with a high gloss finish
- Best material bases, opaque covers and clear covers are all made of high-impact, UV resistant polycarbonate
- · Easy ordering One part number equals one completely assembled enclosure
- · Super easy use mounting flanges integral, so no extra hardware needed
- · Flexible Interior Mounting bosses on rear wall and lid of opaque enclosure provide multiple mounting options for din rail, back panels, or other components
- · Advanced face plate mounting system Brand new completely unique and easy
- Secure Choose your level of protection: pad lockable, tamper screw or tamper tag capable
- Frequency Friendly Available with absolutely no metals of any kind on the enclosure which is extremely favorable for sending and receiving wireless signals
- UL-50 / c-UL Listed (file # E207562)

Sealcon's enclosures are the most versatile, feature packed, aesthetically pleasing, NEMA UL rated, non-metallic enclosures available. Features like extremely durable, UV resistant, wide temperature range, easy to machine, lighter than other non-metallic or metal materials, the "Made in USA" our enclosures provide great value to any application.



I I S I I ĩ



SP8063






Sealcon 8 x 6 x 3 INCH Enclosure

S8063 P/N	4X IP66	6P IP68	Clear Cover	Opaque Cover	Integrated Mounting Flange	Standard Hinge	Low Profile Hinge	Integrated Locking Latch	Stainless Steel Locking Latch	Non-Metallic Locking Latch	Face Plate Mtg System*
SP8063	~	~		~	~	~		~			~
SP8063C	~	~	~		~	~		~			~
SP8063LL	~			~	~	>			~		~
SP8063CLL	~		~		~	>			~		~
SP8063LP	~	~		~	~		~	~			~
SP8063LPC	~	~	~		~		~	~			~
SP8063LPLL	~			~	~		~		~		~
SP8063LPCLL	~		~		~		~		~		~
SP8063NL	~			~	~	>				~	~
SP8063CNL	~		~		~	~				~	~
SP8063LPNL	~			~	~		~			~	~
SP8063LPCNL	~		~		~		~			~	~







Customized Solutions

With our extensive supply of cable management products, we can craft a solution tailored to your specific requirements. Place your customized order with us today!

Accessories for 8x6x3 Inch



Back Panels SABP86-IMP -

Aluminum panel SSBP86-IMP -Steel panel SPVCBP86-IMP -PVC panel



Air Vents SVENT-3 -Aluminum louvered SVENT-2 -Outdoor labyrinth

Din Rail

SDIN6-IMP -

2 rails, 4 screws






Pole Mounting Kits

SPMKG-26 - 2" pole SPMKG-36 - 3" pole SPMKG-46 - 4" pole SMKG-126 - 12" pole

www.SealconUSA.com 303-699-1135 800-456-9012 8.25 [209.58] 5.67 [144.02] @TOP OF BP 4.01 [101.87]

Top-Notch Customer Service

SECTION B-B



Aluminum Swing Out System

SASWPK86-IMP Aluminum swing panel and SSOPK-IMP mounting kit SASWP66-IMP -Aluminum swing panel only SSOPK66/86-IMP -2 rigid brackets, 1 pivot bracket & 8 self-tapping screws

Steel Swing

Out System SSSWPK86-IMP -

Steel swing panel and SSOPK-IMP mounting kit SSSWP86-IMP -Steel swing panel only SSOPK66/86-IMP - 2 rigid brackets, 1 pivot bracket & 8 self-tapping screws

Aluminum Face Plate System

3.25 [82.55]

SFPK86-IMP - Aluminum face plate and **SSOPK-IMP -** mounting kit SAFP66-IMP -Aluminum facepanel only SSOPK66/86-IMP -


2 rigid brackets, 1 pivot bracket & 8 self-tapping screws



Steel Face Plate System SSFPK86-IMP - Steel face plate and **SSOPK-IMP** mounting kit SSFP86-IMP - Steel face panel only SSOPK66/86-IMP -2 rigid brackets, 1 pivot bracket & 8 self-tapping screws

www.SealconUSA.com | (303) 699-1135 | (800) 456-9012 Dimensions & Specifications may be changed without prior notice





www.SealconUSA.com | (303) 699-1135 | (800) 456-9012 Dimensions & Specifications may be changed without prior notice

