

# PAIR-COLOR CODE ACCORDING TO DIN 47100

with colour repetition



Electronic control and computer cable: **pair** stranding

The insulation of the conductor gives the first basic colour. The codes of the multi-coloured identification are combined with a basic colour and colour rings. The second colour is printed on the basic colour as a form of ring.

The ring width is 2–3 mm. A less unsharpness on the edge of the identification colour and a minor pledging of both half-rings are permitted.

The cores are to be counted continuously through all layers at the same direction, beginning with the outer layer towards inside.

Pair-stranding				colour
	Pair-no.	core		
1	23	45	a	white
			b	brown
2	24	46	a	green
			b	yellow
3	25	47	a	grey
			b	pink
4	26	48	a	blue
			b	red
5	27	49	a	black
			b	violet
6	28	50	a	grey-pink
			b	red-blue
7	29	51	a	white-green
			b	brown-green
8	30	52	a	white-yellow
			b	yellow-brown
9	31	53	a	white-grey
			b	grey-brown
10	32	54	a	white-pink
			b	pink-brown
11	33	55	a	white-blue
			b	brown-blue

Pair-stranding				colour
	Pair-no.	core		
12	34	56	a	white-red
			b	brown-red
13	35	57	a	white-black
			b	brown-black
14	36	58	a	grey-green
			b	yellow-grey
15	37	59	a	pink-green
			b	yellow-pink
16	38	60	a	green-blue
			b	yellow-blue
17	39	61	a	green-red
			b	yellow-red
18	40	62	a	green-black
			b	yellow-black
19	41	63	a	grey-blue
			b	pink-blue
20	42	64	a	grey-red
			b	pink-red
21	43	65	a	grey-black
			b	pink-black
22	44	66	a	blue-black
			b	red-black

## Colour code as per DIN 47002

YV-Equipment wires

(for twin colour cables, the base colour is underlined)

ws	white	br	brown
gn	green	ge	yellow
gr	grey	rs	pink
bl	blue	rt	red
sw	black	vi	violet
wsbr	<u>white</u> -brown	wsgn	<u>white</u> -green
wsge	<u>white</u> -yellow	wsbl	<u>white</u> -blue
wsrt	<u>white</u> -red	wssw	<u>white</u> -black
brgn	brown-green	brge	brown-yellow
brbl	brown-blue	brsw	brown-black
gnge	green-yellow	gnrt	green-red
gnsw	green-black	gebl	yellow-blue
gert	yellow-red	gesw	yellow-black
grrt	grey-red	grsw	grey-black
rssw	<u>pink</u> -black	rsvi	<u>pink</u> -violet
blr	blue-red	rtsw	red-black
virt	violet-red		

## Colour code for YR-Bell Sheathed Cables

2 x 0,8: bk, bu

3 x 0,8: bk, bu, bn

4 x 0,8: bk, bu, bn, ye

5 x 0,8: bk, bu, bn, ye, gn

6 x 0,8: bk, bu, bn, ye, gn, vt

8 x 0,8: bk, bu, bn, ye, gn, vt, wh, og

10 x 0,8: bk, bu, bn, ye, gn, vt, wh, og, tr, gy

12 x 0,8: bk, bu, bn, ye, gn, vt, wh, og, tr, gy, rd, lbu

14 x 0,8: bk, bu, bn, ye, gn, vt, wh, og, tr, gy, rd, lbu, cog, lgn

16 x 0,8: bk, bu, bn, ye, gn, vt, wh, og, tr, gy, rd, lbu, cog, lgn, lrd, lye